

REPUBLIC OF BOTSWANA

FORM F

EXPLOSIVES REGULATIONS, 1970

(Regulations 67 and 68)

AUTHORISATION FOR BOX STORAGE

Authorisation for Box Storage for conveyance and storage of explosives is hereby granted to:

Name

Address

who has applied by letter, dated

certifying that he has constructed such boxes in accordance with the following requirements:

- (1) To be constructed of reasonably antproof and waterproof material.
- (2) To be rigid in design and construction.
- (3) Hasps, staples and hinges to be affixed in such a manner that the screws or bolts used cannot be unscrewed whilst the lid is shut.
- (4) To be of a design approved by an Assistant Inspector/Inspector.*
- (5) To be fitted with handles for conveyance.
- (6) Lid to be clearly inscribed "EXPLOSIVES".
- (7) To be painted red.

Storage shall be in accordance with the following conditions:

- (1) Amount not more than —
 - *50 kilograms of fracture explosive
 - *500 detonators
 - *250 detonators or capped fuses.
- (2) Explosives to be kept from shifting about by means of suitable packing. No other material, implements or tools shall be placed in such boxes.
- (3) Boxes to be kept off the ground when used for storage.
- (4) The box containing explosives to be stored as far away as possible from the box containing detonators.
- (5) A copy of this authorisation to be affixed inside the lid of the box.

.....
Assistant Inspector/Inspector*

Station

Date of issue

*Delete words not required.